


D16° WIRE-COLLATED COIL NAILS

ROOFING NAILS

SMOOTH - RING



Zn
ELECTRO
PLATED


HOT DIP

A2
AISI 304

d ₁ [mm] [in]	CODE	L [mm] [in]		coating	shank	compatible machine HH3516	pcs	weight [kg]
3,1 0.12	HH10500001	19	3/4	electrogalvanized	smooth	●	7200	10,0
	HH10500004	22	7/8	electrogalvanized	smooth	●	7200	10,7
	HH10500007	25	1	electrogalvanized	smooth	●	7200	12,9
	HH10500010	32	1 1/4	electrogalvanized	smooth	●	7200	14,7
	HH10500013	38	1 1/2	electrogalvanized	smooth	●	7200	18,2
	HH10500016	45	1 3/4	electrogalvanized	smooth	●	7200	21,9
3,1 0.12	HH10500002	19	3/4	hot dip galvanising	smooth	●	7200	10,0
	HH10500005	22	7/8	hot dip galvanising	smooth	●	7200	10,7
	HH10500008	25	1	hot dip galvanising	smooth	●	7200	12,9
	HH10500011	32	1 1/4	hot dip galvanising	smooth	●	7200	14,7
	HH10500014	38	1 1/2	hot dip galvanising	smooth	●	7200	18,2
3,1 0.12	HH10500595	19	3/4	electrogalvanized	ring	●	7200	10,0
	HH10500597	25	1	electrogalvanized	ring	●	7200	12,9
3,1 0.12	HH10500941	25	1	stainless A2 (AISI 304)	ring	●	7200	12,9

MINI NAILS D16°

SMOOTH - RING



RAW


Zn
ELECTRO
PLATED

CE

d ₁ [mm] [in]	CODE	L [mm] [in]		coating	shank	compatible machine HH3516	pcs	weight [kg]
2,1 0.08	HH10500617	30	1 3/16	ungalvanised	smooth	●	16800	13,4
	HH10500628	35	1 3/8	ungalvanised	smooth	●	14700	13,6
	HH10500637	40	1 9/16	ungalvanised	smooth	●	12600	13,3
	HH10500644	45	1 3/4	ungalvanised	smooth	●	12600	15,0
	HH10500650	50	1 15/16	ungalvanised	smooth	●	10500	13,8
2,1 0.08	HH10501513	25	1	ungalvanised	ring	●	18900	13,0
	HH10500419	27	1 1/16	ungalvanised	ring	●	16800	11,3
	HH10500619	30	1 3/16	ungalvanised	ring	●	16800	13,4
	HH10500625	32	1 1/4	ungalvanised	ring	●	16800	14,3
	HH10500629	35	1 3/8	ungalvanised	ring	●	14700	13,6
	HH10500634	38	1 1/2	ungalvanised	ring	●	14700	14,8
	HH10500639	40	1 9/16	ungalvanised	ring	●	12600	13,3
	HH10500646	45	1 3/4	ungalvanised	ring	●	12600	15,0
	HH10500652	50	1 15/16	ungalvanised	ring	●	10500	13,8
2,1 0.08	HH10500622	30	1 3/16	electrogalvanized	ring	●	16.800	13,4
	HH10500627	32	1 1/4	electrogalvanized	ring	●	16.800	14,3
	HH10500642	40	1 9/16	electrogalvanized	ring	●	12.600	13,3
	HH10500653	50	1 15/16	electrogalvanized	ring	●	10.500	13,8

SMOOTH-SHANK NAILS


COIL FORMAT



d ₁ [mm] [in]	CODE	L		coating	compatible machine				pcs	weight [kg]
		[mm]	[in]		HH3515	HH3539	HH12100710	SKATER + 12200127		
2,5 0.10	HH10500429	50	1 15/16	ungalvanised	●	●	●	●	9000	16,8
	HH10500430	55	2 3/16	ungalvanised	●	●	●	●	9000	18,4
	HH10500382	45	1 3/4	ungalvanised	●	●	●	●	10800	19,1
	HH30002560	60	2 3/8	ungalvanised	●	●	●	●	7200	17,4
	HH30002565	65	2 3/8	ungalvanised	●	●	●	●	7200	18,8
	HH30002570	70	2 9/16	ungalvanised	●	●	●	●	7200	20,3
2,8 0.11	HH10500122	60	2 9/16	ungalvanised	●	●	●	●	6000	18,0
	HH10500144	65	2 3/4	ungalvanised	●	●	●	●	6000	18,8
	HH30002870	70	2 3/4	ungalvanised	●	●	●	●	6000	18,0
	HH10500173	75	2 3/8	ungalvanised		●	●	●	4500	16,8
	HH30002880	80	2 9/16	ungalvanised		●	●	●	4500	20,2
	HH30002890	90	2 3/4	ungalvanised		●	●	●	4500	20,9
3,1 0.12	HH10501247	70	2 3/4	ungalvanised	●	●	●	●	4800	19,4
	HH10500184	80	2 15/16	ungalvanised		●	●	●	3600	17,6
	HH10500198	90	3 1/8	ungalvanised		●	●	●	3600	18,8
2,5 0.10	HH10500454	60	3 1/8	electrogalvanized	●	●	●	●	7200	16,1
	HH10500259	65	3 1/2	electrogalvanized	●	●	●	●	7200	17,4
2,8 0.11	HH10500227	65	2 3/4	electrogalvanized	●	●	●	●	6000	18,8
	HH10501260	70	3 1/8	electrogalvanized	●	●	●	●	6000	20,0
3,1 0.12	HH10500314	70	3 1/2	electrogalvanized	●	●	●	●	4800	20,2
	HH10501251	80	2 3/8	electrogalvanized		●	●	●	3600	16,6
	HH10501254	90	2 9/16	electrogalvanized		●	●	●	3600	18,4

THREADED NAILS

COIL FORMAT




d ₁ [mm] [in]	CODE	L		coating	compatible machine				pcs	weight [kg]
		[mm]	[in]		HH3515	HH3539	HH12100710	SKATER + 12200127		
2,3 0.09	HH10501722	55	2 3/16	ungalvanised	●	●	●		10020	17,4
2,5 0.10	HH10500977	50	1 15/16	ungalvanised	●	●	●	●	9000	18,0
	HH10500954	55	2 3/16	ungalvanised	●	●	●	●	9000	19,8
	HH10501146	65	2 9/16	ungalvanised	●	●	●	●	7200	18,8
	HH10500321	70	2 3/4	ungalvanised	●	●	●	●	7200	19,9
2,8 0.11	HH10500957	65	2 9/16	ungalvanised	●	●	●	●	6000	19,2
	HH10501159	70	2 3/4	ungalvanised	●	●	●	●	6000	20,0
	HH10501261	75	2 15/16	ungalvanised		●	●	●	4500	16,8
	HH10500188	80	3 1/8	ungalvanised		●	●	●	4500	17,1
	HH10500962	90	3 1/2	ungalvanised		●	●	●	4500	21,2
3,1 0.12	HH10500189	80	3 1/8	ungalvanised		●	●	●	3600	17,6
	HH10500202	90	3 1/2	ungalvanised		●	●	●	3600	18,8

D16° WIRE-COLLATED COIL NAILS

RING-SHANK NAILS


UNGALVANISED



d ₁ [mm] [in]	CODE	L		coating	compatible machine				pcs	weight [kg]
		[mm]	[in]		HH3515	HH3539	HH12100710	SKATER + 12200127		
2,3 0.09	HH10501717	40	1 9/16	ungalvanised	●				12020	16,3
	HH10501718	45	1 3/4	ungalvanised	●				12020	17,2
	HH10501719	50	1 15/16	ungalvanised	●				10020	15,9
	HH10501720	55	2 3/16	ungalvanised	●				10020	17,4
2,5 0.10	HH10500868	40	1 9/16	ungalvanised	●	●			10800	18,5
	HH10501724	42	1 5/8	ungalvanised	●	●			10800	17,8
	HH10500434	45	1 3/4	ungalvanised	●	●			10800	19,1
	HH10500435	50	1 15/16	ungalvanised	●	●	●	●	9000	17,6
	HH10500436	55	2 3/16	ungalvanised	●	●	●	●	9000	18,4
	HH10500487	57	2 1/4	ungalvanised	●	●	●	●	7200	16,1
	HH10500437	60	2 3/8	ungalvanised	●	●	●	●	7200	17,1
	HH10500146	65	2 9/16	ungalvanised	●	●	●	●	7200	17,4
	HH10500160	70	2 3/4	ungalvanised	●	●	●	●	7200	19,9
	HH10500240	42	1 5/8	ungalvanised	●	●	●	●	9000	19,2
2,8 0.11	HH10500126	60	2 3/8	ungalvanised	●	●	●	●	6000	18,0
	HH10501258	65	2 9/16	ungalvanised	●	●	●	●	6000	18,8
	HH10500161	70	2 3/4	ungalvanised	●	●	●	●	6000	20,0
	HH10500176	75	2 15/16	ungalvanised		●	●	●	4500	16,8
	HH10500186	80	3 1/8	ungalvanised		●	●	●	4500	17,1
	HH10501183	90	3 1/2	ungalvanised		●	●	●	4500	19,6
	HH10501248	70	2 3/4	ungalvanised	●	●	●	●	4800	19,4
3,1 0.12	HH10501511	80	3 1/8	ungalvanised		●	●	●	3600	17,6
	HH10500201	90	3 1/2	ungalvanised		●	●	●	3600	18,8

A4 RING NAILS

WITH ROUND HEAD




d ₁ [mm] [in]	CODE	L		coating	compatible machine				pcs	weight [kg]
		[mm]	[in]		HH3515	HH3539	HH12100710	SKATER + 12200127		
2,5 0.10	HH10501490 ^(*)	55	2 3/16	stainless A4 (AISI 316)	●	●	●	●	9000	19,4
	HH10501494 ^(*)	65	2 9/16	stainless A4 (AISI 316)	●	●	●	●	7200	18,5
2,8 0.11	HH10501546	65	2 9/16	stainless A4 (AISI 316)	●	●	●	●	6000	18,8
	HH10501496	70	2 3/4	stainless A4 (AISI 316)	●	●	●	●	6000	20,0
	HH10501814 ^(*)	80	3 1/8	stainless A4 (AISI 316)		●	●	●	4500	17,1
3,1 0.12	HH10501533	90	3 1/2	stainless A4 (AISI 316)		●	●	●	3600	18,9

^(*) Without CE.

RING-SHANK NAILS

ELECTROGALVANIZED



Zn
ELECTRO
PLATED



d ₁ [mm] [in]	CODE	L		coating	compatible machine				pcs	weight [kg]
		[mm]	[in]		HH3515	HH3539	HH12100710	SKATER + 12200127		
2,3 0.09	HH30002350 ^(*)	50	1 15/16	electrogalvanized	●				9000	15,3
	HH30002360 ^(*)	60	2 3/8	electrogalvanized	●				7200	14,6
2,5 0.10	HH10500457	45	1 3/4	electrogalvanized	●	●			10800	19,1
	HH10500458	50	1 15/16	electrogalvanized	●	●	●	●	9000	16,8
	HH10500459	55	2 3/16	electrogalvanized	●	●	●	●	9000	18,4
	HH10500460	60	2 3/8	electrogalvanized	●	●	●	●	7200	16,1
	HH30002865 ⁽¹⁾	65	2 9/16	electrogalvanized	●	●	●	●	7200	18,8
	HH30002869 ^(*)	70	2 9/16	electrogalvanized	●	●	●	●	7200	20,3
2,8 0.11	HH10500138	65	2 3/4	electrogalvanized	●	●	●	●	6000	18,8
	HH10500155	70	2 9/16	electrogalvanized	●	●	●	●	6000	20,0
	HH10501162	75	2 3/4	electrogalvanized		●	●	●	4500	16,8
	HH30003180	80	2 15/16	electrogalvanized		●	●	●	4500	18,0
	HH30002891	90	3 1/8	electrogalvanized		●	●	●	4500	20,2
3,1 0.12	HH10501252	80	3 1/8	electrogalvanized		●	●	●	3600	16,6
	HH10501255	90	3 1/2	electrogalvanized		●	●	●	3600	18,4

(*) Without CE.

(1) Without CE. Alternative CE-certified product: HH10501271