



Make it easy.

## Safety data sheet according to 1907/2006/EC, Article 31

Page 1/10

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
  - Trade name: **FOAM REMOVER**
  - UFI: VRT2-60WR-J00R-QDTA
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
  - Construction chemicals
- **Application of the substance / the mixture**
  - Remover
  - Product for consumer use
- **1.3 Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**  
ROTHO BLAAS SRL  
Via dell'Adige N. 2/1 I-39040,  
Cortaccia (BZ)  
Tel. +39 0471 81 84 00  
E-mail reach@rothoblaas.com
- **Further information obtainable from:** reach@rothoblaas.com
- **1.4 Emergency telephone number:** European emergency number: 112 (24h)

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
  - Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H336 May cause drowsiness or dizziness.

- **2.2 Label elements**
  - **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
  - **Hazard pictograms**



GHS02



GHS07

- **Signal word** Danger
- **Hazard-determining components of labelling:**
  - acetone
  - ethyl acetate
- **Hazard statements**
  - H222 Extremely flammable aerosol.
  - H229 Pressurised container: May burst if heated.

(Contd. on page 2)

GB



## Safety data sheet

according to 1907/2006/EC, Article 31

Make it easy.

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

**Trade name: FOAM REMOVER**

(Contd. of page 1)

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**Precautionary statements**

P102 Keep out of reach of children.

P261 Avoid breathing spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Additional information:**

Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Do not spray on an open flame or other ignition source.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

EUH066 Repeated exposure may cause skin dryness or cracking.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Determination of endocrine-disrupting properties**

The product does not contain substances with endocrine disrupting properties.

### SECTION 3: Composition/information on ingredients

**3.2 Mixtures****Description:** Mixture of substances listed below with nonhazardous additions.**Dangerous components:**

|                                                                      |                                                                                      |          |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------|----------|
| CAS: 67-64-1<br>EINECS: 200-662-2<br>Reg.nr.: 01-2119471330-49-xxxx  | acetone<br>⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336, EUH066       | 47 - 50% |
| CAS: 141-78-6<br>EINECS: 205-500-4<br>Reg.nr.: 01-2119475103-46-xxxx | ethyl acetate<br>⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336, EUH066 | 19 - 22% |
| CAS: 75-28-5<br>EINECS: 200-857-2<br>Reg.nr.: 01-2119485395-27-xxxx  | isobutane<br>⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280                          | < 20%    |
| CAS: 74-98-6<br>EINECS: 200-827-9<br>Reg.nr.: 01-2119486944-21-xxxx  | propane<br>⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280                            | < 10%    |
| CAS: 106-97-8<br>EINECS: 203-448-7<br>Reg.nr.: 01-2119474691-31-xxxx | butane, pure<br>⚠ Flam. Gas 1A, H220; Press. Gas (Comp.), H280                       | < 10%    |

**Additional information:** For the wording of the listed hazard phrases refer to section 16.GB  
(Contd. on page 3)



Make it easy.

## Safety data sheet according to 1907/2006/EC, Article 31

Page 3/10

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

Trade name: FOAM REMOVER

(Contd. of page 2)

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:**  
Supply fresh air and to be sure call for a doctor.  
Use a respiratory bag or breathing device.  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed**  
Stupor.  
Headache.  
Unconsciousness.  
Coughing.  
Nausea.  
Dizziness.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
Carbon dioxide.  
Water spray.  
Fire-extinguishing powder.  
Alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture**  
Can form explosive gas-air mixtures.  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear self-contained respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Keep away from ignition sources.  
Use respiratory protective device against the effects of fumes / dust / aerosol.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow to enter sewers / surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Collect with liquid-binding material (sand, diatomaceous earth, universal binding material).  
Dispose of the material collected according to regulations.

(Contd. on page 4)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Make it easy.

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

Trade name: FOAM REMOVER

(Contd. of page 3)

Ensure adequate ventilation.

· **6.4 Reference to other sections** See Section 13 for disposal information.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ensure good ventilation / exhaust at the workplace.

Open and handle receptacle with care.

#### · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray onto a naked flame or any incandescent material.

#### · 7.2 Conditions for safe storage, including any incompatibilities

##### · Storage:

##### · Requirements to be met by storerooms and receptacles:

Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

##### · Information about storage in one common storage facility:

Store away from oxidising agents.

Do not store together with reducing agents, heavy-metal compounds, acids and alkalis.

##### · Further information about storage conditions:

Store in vertical position in closed original containers.

Protect from heat and direct sunlight.

Store under lock and key and out of the reach of children.

Store at temperature from +5°C to +35°C.

#### · 7.3 Specific end use(s) No further relevant information available.

### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

##### · Ingredients with limit values that require monitoring at the workplace:

###### CAS: 67-64-1 acetone

WEL Short-term value: 3620 mg/m<sup>3</sup>, 1500 ppmLong-term value: 1210 mg/m<sup>3</sup>, 500 ppm

###### CAS: 141-78-6 ethyl acetate

WEL Short-term value: 1468 mg/m<sup>3</sup>, 400 ppmLong-term value: 734 mg/m<sup>3</sup>, 200 ppm

###### CAS: 106-97-8 butane, pure

WEL Short-term value: 1810 mg/m<sup>3</sup>, 750 ppmLong-term value: 1450 mg/m<sup>3</sup>, 600 ppm

Carc (if more than 0.1% of buta-1,3-diene)

##### · Regulatory information WEL: EH40/2020

##### · DNELs

###### CAS: 67-64-1 acetone

Oral DNEL 62 mg/kg/Tag (General population, consumers)

Dermal DNEL 62 mg/kg/Tag (General population, consumers)

(Contd. on page 5)



## Safety data sheet according to 1907/2006/EC, Article 31

Make it easy.

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

**Trade name: FOAM REMOVER**

(Contd. of page 4)

|            |      |                                                                                                                       |
|------------|------|-----------------------------------------------------------------------------------------------------------------------|
| Inhalative | DNEL | 186 mg/kg/Tag (Workers)<br>200 mg/m <sup>3</sup> (General population, consumers)<br>1,210 mg/m <sup>3</sup> (Workers) |
|------------|------|-----------------------------------------------------------------------------------------------------------------------|

**· PNECs****CAS: 67-64-1 acetone**

|                        |                                   |
|------------------------|-----------------------------------|
| (freshwater)           | 10.6 mg/l (Aquatic Organisms)     |
| (sea water)            | 1.06 mg/l (Aquatic Organisms)     |
| (freshwater sediments) | 30.4 mg/kg (Aquatic Organisms)    |
| (sea water sediments)  | 3.04 mg/kg (Aquatic Organisms)    |
| (soil)                 | 29.5 mg/kg (Terrestrial Organism) |

**· Additional information:** The lists valid during the making were used as basis.**· 8.2 Exposure controls****· Appropriate engineering controls** No further data; see section 7.**· Individual protection measures, such as personal protective equipment****· General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin.

**· Hand protection**

Protective gloves

EN 374

The glove material has to be impermeable and resistant to the product / the substance / the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**· Material of gloves**

Polyethylene gloves.

Recommended thickness of the material:  $\geq 0.02$  mm.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**· Penetration time of glove material** $\geq 10$  min

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**· Eye/face protection**

Tightly sealed goggles

EN 166

**· Body protection:** Protective work clothing.

GB

(Contd. on page 6)



## Safety data sheet according to 1907/2006/EC, Article 31

Make it easy.

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

Trade name: FOAM REMOVER

(Contd. of page 5)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Physical state

Liquid

##### · Colour:

Colorless

##### · Odour:

Characteristic

##### · Odour threshold:

Not determined

##### · Melting point/freezing point:

Not determined

##### · Boiling point or initial boiling point and boiling range

Not determined

##### · Flammability

Extremely flammable aerosol.

##### · Lower and upper explosion limit

##### · Lower:

Not determined

##### · Upper:

Not determined

##### · Flash point:

Not determined

##### · Auto-ignition temperature:

Not specified

##### · Decomposition temperature:

Not determined

##### · pH

Not applicable

##### · Viscosity:

##### · Kinematic viscosity

Not determined

##### · Solubility

##### · water:

Soluble

##### · Partition coefficient n-octanol/water (log value)

Not determined

##### · Vapour pressure:

Not determined

##### · Density and/or relative density

##### · Density:

Not determined

##### · Relative density

Not determined

##### · Relative gas density

Not determined.

##### · Particle characteristics

Void

#### · 9.2 Other information

No further relevant information available

##### · Appearance:

##### · Form:

Aerosol

##### · Important information on protection of health and environment, and on safety.

##### · Ignition temperature:

Not determined

##### · Explosive properties:

Heating may cause an explosion.

##### · Change in condition

##### · Softening point/range

##### · Oxidising properties

Extremely flammable.

#### · Information with regard to physical hazard classes

##### · Explosives

Void

##### · Flammable gases

Void

##### · Aerosols

Extremely flammable aerosol.

Pressurised container: May burst if heated.

##### · Oxidising gases

Void

(Contd. on page 7)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Make it easy.

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

Trade name: FOAM REMOVER

(Contd. of page 6)

|                                                                             |      |
|-----------------------------------------------------------------------------|------|
| · Gases under pressure                                                      | Void |
| · Flammable liquids                                                         | Void |
| · Flammable solids                                                          | Void |
| · Self-reactive substances and mixtures                                     | Void |
| · Pyrophoric liquids                                                        | Void |
| · Pyrophoric solids                                                         | Void |
| · Self-heating substances and mixtures                                      | Void |
| · Substances and mixtures, which emit flammable gases in contact with water | Void |
| · Oxidising liquids                                                         | Void |
| · Oxidising solids                                                          | Void |
| · Organic peroxides                                                         | Void |
| · Corrosive to metals                                                       | Void |
| · Desensitised explosives                                                   | Void |

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
To avoid thermal decomposition do not overheat.  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Strong oxidants.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

CAS: 141-78-6 ethyl acetate

|        |      |                        |
|--------|------|------------------------|
| Oral   | LD50 | 5,620 mg/kg (rat)      |
| Dermal | LD50 | >18,000 mg/kg (rabbit) |

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation**  
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 8)



## Safety data sheet according to 1907/2006/EC, Article 31

Make it easy.

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

**Trade name: FOAM REMOVER**

(Contd. of page 7)

**11.2 Information on other hazards****Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity:****CAS: 67-64-1 acetone**

EC50 | 8,800 mg/l (daphnia)

**12.2 Persistence and degradability** Easily biodegradable**12.3 Bioaccumulative potential** Non significant accumulation in organisms**12.4 Mobility in soil** No further relevant information available.**12.5 Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**12.7 Other adverse effects****Additional ecological information:****General notes:**

Due to available data on eliminability/decomposition and bioaccumulation potential a prolonged damage of the environment is unlikely.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation**

Do not allow to enter surface or ground water.

Dispose of in a safe manner in accordance with local / national regulations.

Assigning a code from the waste catalogue depends on the sector, in which the user operates, as well as on arrangements made between the waste generator and a competent environment protection department.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue**

15 01 11\* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty pressure containers

HP3 Flammable

HP4 Irritant - skin irritation and eye damage

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

**Uncleaned packaging:****Recommendation:** Disposal must be made according to official regulations.

GB

(Contd. on page 9)



## Safety data sheet according to 1907/2006/EC, Article 31

Make it easy.

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

Trade name: FOAM REMOVER

(Contd. of page 8)

### SECTION 14: Transport information

|                                                                                     |                       |
|-------------------------------------------------------------------------------------|-----------------------|
| · 14.1 UN number or ID number                                                       |                       |
| · ADR, IMDG, IATA                                                                   | UN1950                |
| · 14.2 UN proper shipping name                                                      |                       |
| · ADR, IMDG, IATA                                                                   | AEROSOLS              |
| · 14.3 Transport hazard class(es)                                                   |                       |
| · ADR                                                                               |                       |
|    |                       |
| · Class                                                                             | 2 5F Gases.           |
| · Label                                                                             | 2.1                   |
| · IMDG, IATA                                                                        |                       |
|  |                       |
| · Class                                                                             | 2 5F Gases.           |
| · Label                                                                             | 2.1                   |
| · 14.4 Packing group                                                                | Not applicable.       |
| · 14.5 Environmental hazards:                                                       |                       |
| · Marine pollutant:                                                                 | No.                   |
| · 14.6 Special precautions for user                                                 |                       |
| · Hazard identification number (Kemler code): -                                     |                       |
| · EMS Number:                                                                       |                       |
| F-D,S-U                                                                             |                       |
| · 14.7 Maritime transport in bulk according to IMO instruments                      |                       |
| Not applicable.                                                                     |                       |
| · UN "Model Regulation":                                                            | UN 1950 AEROSOLS, 2.1 |

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture  
1907/2006/CE Regulation, UK REACH  
1272/2008/CE Regulation, GB CLP  
2020/878/UE Regulation  
This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point. Please see [https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list\\_of\\_competent\\_authorities\\_and\\_national\\_contact\\_points\\_en.pdf](https://ec.europa.eu/home-affairs/sites/homeaffairs/files/what-we-do/policies/crisis-and-terrorism/explosives/explosives-precursors/docs/list_of_competent_authorities_and_national_contact_points_en.pdf).
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category P3a FLAMMABLE AEROSOLS

(Contd. on page 10)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Make it easy.

Printing date 07.09.2023

Version number 1

Revision: 17.03.2022

**Trade name: FOAM REMOVER**

(Contd. of page 9)

- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 150 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 500 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

- **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

CAS: 67-64-1 | acetone

- **Regulation (EC) No 273/2004 on drug precursors**

CAS: 67-64-1 | acetone

3

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

CAS: 67-64-1 | acetone

3

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H220 Extremely flammable gas.  
H225 Highly flammable liquid and vapour.  
H280 Contains gas under pressure; may explode if heated.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
EUH066 Repeated exposure may cause skin dryness or cracking.

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (UK REACH)  
PNEC: Predicted No-Effect Concentration (UK REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Flam. Gas 1A: Flammable gases – Category 1A  
Aerosol 1: Aerosols – Category 1  
Press. Gas (Comp.): Gases under pressure – Compressed gas  
Flam. Liq. 2: Flammable liquids – Category 2  
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

- **\* Data compared to the previous version altered.**

Points marked with \* have changed from the previous version of the card